



## Thule Rapid System Kit 1663

# > Instructions

**RANGE ROVER Evoque**, 3-dr SUV, 11-18

**RANGE ROVER Evoque**, 5-dr SUV, 11-18 / \*12-18

\*North America

**Weight Limits:**

xx kg xx lbs	+	7 kg 15,4 lbs
+ 3 kg 6,6 lbs		
= 3-dr	Max.	Max.
	40 kg	88 lbs
= 5-dr	Max.	Max.
	50 kg	110 lbs

**Speed Limits:**

80 km/h 50 Mph	130 km/h 80 Mph
40 km/h 25 Mph	
km/h Mph	

ISO 11154-E

141663

C.20190325  
519-1663-05

Bring your life  
thule.com



271 x2




1356 x2




x1

323 x2





1187 x2



x1

1


	X (scale)	X (mm)	X (inch)
<b>RANGE ROVER Evoque</b> , 3-dr SUV, 11-18	47	1121	44 <sup>1</sup> / <sub>8</sub>
<b>RANGE ROVER Evoque</b> , 5-dr SUV, 11-18 / *12-18	47	1121	44 <sup>1</sup> / <sub>8</sub>




	Y (scale)	Y (mm)	Y (inch)
<b>RANGE ROVER Evoque</b> , 3-dr SUV, 11-18	46,5	1116	43 <sup>7</sup> / <sub>8</sub>
<b>RANGE ROVER Evoque</b> , 5-dr SUV, 11-18 / *12-18	46	1111	43 <sup>3</sup> / <sub>4</sub>

2



SRA




RANGE ROVER Evoque, 3-dr SUV, 11-18




RANGE ROVER Evoque, 5-dr SUV, 11-18 / \*12-18



**3**



	W (mm)	Z (mm)	Y (mm)	W (inch)	Z (inch)	Y (inch)
<b>RANGE ROVER Evoque, 3-dr SUV, 11-18</b>	<b>270</b>	<b>650</b>	<b>340</b>	<b>10 5/8</b>	<b>25 5/8</b>	<b>13 3/8</b>



	W (mm)	Z (mm)	W (inch)	Z (inch)
<b>RANGE ROVER Evoque, 5-dr SUV, 11-18 / *12-18</b>	<b>270</b>	<b>700</b>	<b>10 5/8</b>	<b>27 1/2</b>

