







Thule Rapid System Kit 1543

> Instructions

RENAULT Scénic III, 5-dr MPV, 09-16

RENAULT Grand Scénic III, 5-dr MPV, 09-16




ISO 11154-E

141543
20170103
519-1543-02


Bring your life
thule.com



179 x2



181 x2



1053 x4






x1



x1

1



	X (scale)	X (mm)	X (inch)
RENAULT Scénic III, 5-dr MPV, 09-16	41,5	1066	42
RENAULT Grand Scénic III, 5-dr MPV, 09-16	41,5	1066	42




	Y (scale)	Y (mm)	Y (inch)
RENAULT Scénic III, 5-dr MPV, 09-16	40,5	1056	41 ⁵ / ₈
RENAULT Grand Scénic III, 5-dr MPV, 09-16	40,5	1056	41 ⁵ / ₈

2

RENAULT Scénic III, 5-dr MPV, 09-16
RENAULT Grand Scénic III, 5-dr MPV, 09-16



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
RENAULT Scénic III , 5-dr MPV, 09-16	265	730	10 ³/₈	28 ³/₄
RENAULT Grand Scénic III , 5-dr MPV, 09-16	265	730	10 ³/₈	28 ³/₄

